

## REPLACEMENT SHEET

hTIR1	1	hTIR1	1	hTIR1	120	hTIR1	120	hTIR1	237	hTIR1	237	hTIR1	355	hTIR1	355	hTIR1	466
rTIR1	1	rTIR1	1	rTIR1	119	rTIR1	119	rTIR1	236	rTIR1	236	rTIR1	354	rTIR1	354	rTIR1	465
hTIR2	1	hTIR2	1	hTIR2	116	hTIR2	116	hTIR2	232	hTIR2	232	hTIR2	356	hTIR2	356	hTIR2	465
rTIR2	1	rTIR2	1	rTIR2	117	rTIR2	117	rTIR2	233	rTIR2	233	rTIR2	357	rTIR2	357	rTIR2	466
hTIR3	1	hTIR3	1	hTIR3	114	hTIR3	114	hTIR3	230	hTIR3	230	hTIR3	353	hTIR3	353	hTIR3	463
rTIR3	1	rTIR3	1	rTIR3	115	rTIR3	115	rTIR3	231	rTIR3	231	rTIR3	354	rTIR3	354	rTIR3	464
mGluR1	1	mGluR1	1	mGluR1	123	mGluR1	123	mGluR1	239	mGluR1	239	mGluR1	361	mGluR1	361	mGluR1	472
hTIR1	120	hTIR1	120	hTIR1	236	hTIR1	236	hTIR1	354	hTIR1	354	hTIR1	466	hTIR1	466	hTIR1	597
rTIR1	119	rTIR1	119	rTIR1	235	rTIR1	235	rTIR1	353	rTIR1	353	rTIR1	465	rTIR1	465	rTIR1	596
hTIR2	116	hTIR2	116	hTIR2	231	hTIR2	231	hTIR2	350	hTIR2	350	hTIR2	462	hTIR2	462	hTIR2	593
rTIR2	117	rTIR2	117	rTIR2	232	rTIR2	232	rTIR2	351	rTIR2	351	rTIR2	463	rTIR2	463	rTIR2	594
hTIR3	118	hTIR3	118	hTIR3	234	hTIR3	234	hTIR3	352	hTIR3	352	hTIR3	464	hTIR3	464	hTIR3	595
rTIR3	118	rTIR3	118	rTIR3	233	rTIR3	233	rTIR3	351	rTIR3	351	rTIR3	463	rTIR3	463	rTIR3	594
mGluR1	124	mGluR1	124	mGluR1	252	mGluR1	252	mGluR1	358	mGluR1	358	mGluR1	470	mGluR1	470	mGluR1	598
hTIR1	237	hTIR1	237	hTIR1	354	hTIR1	354	hTIR1	466	hTIR1	466	hTIR1	597	hTIR1	597	hTIR1	728
rTIR1	236	rTIR1	236	rTIR1	353	rTIR1	353	rTIR1	465	rTIR1	465	rTIR1	596	rTIR1	596	rTIR1	727
hTIR2	232	hTIR2	232	hTIR2	350	hTIR2	350	hTIR2	462	hTIR2	462	hTIR2	593	hTIR2	593	hTIR2	724
rTIR2	233	rTIR2	233	rTIR2	351	rTIR2	351	rTIR2	463	rTIR2	463	rTIR2	594	rTIR2	594	rTIR2	725
hTIR3	230	hTIR3	230	hTIR3	352	hTIR3	352	hTIR3	464	hTIR3	464	hTIR3	595	hTIR3	595	hTIR3	726
rTIR3	231	rTIR3	231	rTIR3	351	rTIR3	351	rTIR3	463	rTIR3	463	rTIR3	594	rTIR3	594	rTIR3	727
mGluR1	253	mGluR1	253	mGluR1	373	mGluR1	373	mGluR1	470	mGluR1	470	mGluR1	598	mGluR1	598	mGluR1	730
hTIR1	355	hTIR1	355	hTIR1	466	hTIR1	466	hTIR1	597	hTIR1	597	hTIR1	728	hTIR1	728	hTIR1	859
rTIR1	354	rTIR1	354	rTIR1	465	rTIR1	465	rTIR1	596	rTIR1	596	rTIR1	727	rTIR1	727	rTIR1	858
hTIR2	356	hTIR2	356	hTIR2	465	hTIR2	465	hTIR2	595	hTIR2	595	hTIR2	724	hTIR2	724	hTIR2	855
rTIR2	360	rTIR2	360	rTIR2	469	rTIR2	469	rTIR2	599	rTIR2	599	rTIR2	728	rTIR2	728	rTIR2	859
hTIR3	356	hTIR3	356	hTIR3	466	hTIR3	466	hTIR3	596	hTIR3	596	hTIR3	725	hTIR3	725	hTIR3	856
rTIR3	355	rTIR3	355	rTIR3	465	rTIR3	465	rTIR3	595	rTIR3	595	rTIR3	726	rTIR3	726	rTIR3	

TO FIG. 1B

**FIG. 1A**

FROM FIG. 1A

FIG. 1B

FIG. 1B

REPLACEMENT SHEET




FIG. 2

# REPLACEMENT SHEET




FIG. 3A




FIG. 3B

REPLACEMENT SHEET




FIG. 4

REPLACEMENT SHEET

NORMALIZED DOSE-RESPONSE CURVE




FIG. 6




FIG. 5

REPLACEMENT SHEET






FIG. 7

REPLACEMENT SHEET





# REPLACEMENT SHEET




FIG. 3C





FIG. 8C

REPLACEMENT SHEET



**H2-IT-Myc**

**H2-PDZIP-IT-Myc**

FIG. 9A




FIG. 9B

REPLACEMENT SHEET




FIG. 10

# REPLACEMENT SHEET




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16B




FIG. 16A